Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TABLE OF CONTENTS

PAGE

The Twenty-fifth Anniversary Celebration 1– 32

The Vegetation of Mona Island ...... N. L. Britton 33– 58

The Flora of Norway and its Immigration .... N. Wille 59–108

The Phylogenetic Taxonomy of Flowering Plants .... C. E. Bessey 109–164

The Botanical Garden of Oaxaca ...... C. Conzatti 165–174

The Origin of Monocotyledony ...... J. M. Coulter 175–183

The History and Functions of Botanic Gardens .... A. W. Hill 185–240

Recent Investigations on the Protoplasm of Plant Cells and its Colloidal Properties .... F. Czapek 241–252

The Experimental Modification of Germ-Plasm .... D. T. MacDougal 253–274

The Relations between Scientific Botany and Phytopathology .... O. Appel 275–285

The Law of Temperature Connected with the Distribution of the Marine Algae .... W. A. Setchell 287–305

Phytopathology in the Tropics .... Johanna Westerdijk 307–313

Phylogeny and Relationships in the Ascomycetes .... G. F. Atkinson 315–376

A Conspectus of Bacterial Diseases of Plants .... E. F. Smith 377–401

TABLE OF CONTENTS

PAGE

Rhizoctonia Crocorum (Pers.) DC. and R. Solani Kühn (Corticium vagum B. & C.) with Notes on Other Species ....B. M. Duggar 403–458

Some Relations of Plants to Distilled Water and Certain Dilute Toxic Solutions............................M. C. Merrill 459–506

Electrolytic Determination of Exosmosis from the Roots of Plants subjected to the Action of Various Agents ....M. C. Merrill 507–572

Monograph of the North and Central American Species of the Genus Senecio—Part II..................J. M. Greenman 573–626

The Thelephoraceae of North America. IV................................ E. A. Burt 627–658

Toxicity of Galactose for Certain of the Higher Plants..................Lewis Knudson 659–666

Comparative Studies in the Polyporaceae ....L. O. Overholts 667–730

The Thelephoraceae of North America. V................................ E. A. Burt 731–770

Enzyme Action in the Marine Algae....A. R. Davis 771–836

General Index to Volume II...................... 837–841

GENERAL INDEX

New scientific names of plants and the final members of new combinations are printed in **bold face** type; synonyms and page numbers having reference to figures or plates, in *italic;* and previously published scientific names and all other matter, in ordinary type.

A

Abietis (*Corticium*), 760
acerina forma *Abietis* (*Thelephora*), 760
adusta (Sebacina), 764, *770*
Agar-agar and algal slime, action of algal extract upon, 802
Agardhiella tenera: carbohydrases of, 799; catalases of, 826; lipases of, 809; proteinases of, 817
Algae, marine: Enzyme action in the, 771; The law of temperature connected with the distribution of, 287
alliciens (Eichleriella), 746, *770*
alliciens (*Stereum*), 746
Amidases in the marine algae, 821
Andromedae (*Exobasidium*), 629, 637, 646, 647, 649
Anesthetic vapors, effect of, on exosmosis, 524
Anesthetics in solution, effect of, on exosmosis, 542
Appel, O. Speech delivered at the twenty-fifth anniversary banquet, 11; Translation of the speech delivered at the banquet, 13; The relations between scientific botany and phytopathology, 275
Arctostaphyli (*Exobasidium*), 638, 646, 649
Ascomycetes, Phylogeny and relationships in the, 315
Ascophyllum nodosum: carbohydrases of, 798; catalases of, 826; lipases of, 809
Atkinson, G. F. Phylogeny and relationships in the Ascomycetes, 315
atrata (Sebacina), 765, *770*
aurantium (Tremellodendron), 742
Azaleae (*Exobasidium*), 637, 645, 649

B

Bacterial diseases of plants, A conspectus of, 377
Banquet, speeches at twenty-fifth anniversary, 6
basale (*Corticium*), 757
Bessey, C. E. The phylogenetic taxonomy of flowering plants, 109
Boletus albidus, 708; *suberosus*, 702
Botanic gardens, The history and functions of, 185
Botanical Garden of Oaxaca, The, 165, *174*
Britton, N. L. The vegetation of Mona Island, 33
Burt, E. A. The Thelephoraceae of North America, IV, 627; V, 731

C

calcea (Sebacina), 759, *770*
calcea c. albido-fuscescens (*Thelephora*), 759
calcea (*Thelephora*), 759
candida (*Thelephora*), 737
candidum (*Merisma*), 733, 737
candidum (Tremellodendron), 735, 737, *768*
Carbohydrases in the marine algae, 789
Cassandrae (*Exobasidium*), 638, 646, 649
Cassiopes (*Exobasidium*), 629, 636, 647, 649
Catalases in the marine algae, 826
Cellulose and hemicellulose, action of algal enzyme extracts upon, 804
Ceramium rubrum: carbohydrases of, 800; catalases of, 826; lipases of, 809
Chamaecrista **diffusa**, 41; **granulata**, 41
Champia sp., lipases of, 809
Chlamydomonas, amidase action in, 821
chlorascens (Sebacina), 756, *770*
Chondrus crispus: catalases of, 826; lipases of, 809; proteinases of, 815
cinnamomea (Sebacina), 763, *770*
Cladonia (*Merisma*), 738
Cladonia (*Thelephora*), 738
Cladonia (Tremellodendron), 738, *768*
Clavaria laciniata, 753; *merismatoides*, 740
Collybia dryophila, 656
Conductivity method, electrical: apparatus used in, 466; measurements of electrolytes from roots of plants, determined by, 482, 518
Conzatti, C. The Botanical Garden of Oaxaca, 165
Coriolus prolificans, 688

Corticium, *Abietis*, 760; *basale*, 757; *deglubens*, 755; *Helvelloides*, 757; *incrustans*, 752; *Leveillianum*, 744; *macrosporum*, 759; *scariosum*, 762; *sebaceum*, 752; *secedens*, 762; vagum, 445
Coryphanta **nivosa**, 45
Coulter, J. M. The origin of monocotyledony, 175
cristata (Cristella), 754
cristata (Thelephora), 735, 752
cristatum (*Merisma*), 752
Cristella cristata, 754
Czapek, F. Recent investigations on the protoplasm of plant cells and its colloidal properties, 241

D

Davis, A. R. Enzyme action in the marine algae, 771
decolorans (*Exobasidium*), 656
deglubens (*Corticium*), 755
deglubens (*Eichleriella*), 747
deglubens (*Radulum*), 747
deglubens (Sebacina), 755
discoideum (*Exobasidium*), 637, 645, 649
Distilled water and certain dilute toxic solutions, Some relations of plants to, 459, *500*, *502*, *504*, *506*
dryophila (Collybia), 656
Duggar, B. M. Rhizoctonia Crocorum (Pers.) DC. and R. Solani Kühn (Corticium vagum B. & C.), with notes on other species, 403

E

Eichleriella, 731, 743; **alliciens**, 746, *770*; *deglubens*, 747; **gelatinosa**, 748, *770*; incarnata, 743; *Kmetii*, 747; **Leveilliana**, 744, *770*; **Schrenkii**, 744, *770*; **spinulosa**, 747, *770*
Electrolytic determination of exosmosis from the roots of plants subjected to the action of various agents, 507
Enteromorpha intestinalis: carbohydrases of, 796; lipases of, 809; proteinases of, 815
Enzyme action in the marine algae, 771
Ether, effect of, on exosmosis, 524, 530
Exidiopsis, 749
Exobasidium, 627; *Andromedae*, 646, 647, 649; *Arctostaphyli*, 646, 649; *Azaleae*, 645, 649; *Cassandrae*, 646, 649; *Cassiopes*, 647, 649; *decolorans*, 656; *discoideum*, 645, 649; *Karstenii*, 647, 649; *mycetophilum*, 656; *Myrtilli*, 649; *Oxycocci*, 647, 649; *Peckii*, 645, 649; *Rhododendri*, 645, 649; Symploci, 641, 648, 655; Vaccinii, 627, 639, 642, 649, *658*; *Vaccinii myrtilli*, 647, 649; Vaccinii uliginosi, 640, 648, 654
Exosmosis, Electrolytic determination of, from the roots of plants, subjected to the action of various agents, 507

F

farinellus (*Xerocarpus*), 760
Farlow, W. G. Speech delivered at twenty-fifth anniversary banquet, 20
fastidiosa (Thelephora), 753
Fomes, *Abietis*, 721; Bakeri, 717; Ellisianus, 714, 715, *730*; fraxinophilus, 714, 716, *730*; *geotropus*, 708; igniarius, 716, 717, 718, *730*, var. nigricans, 718, *730*; *nigricans*, 716; ohiensis, 719, 720, 721, *730*; Pini, 723, var. Abietis, 724; scutellatus, 719, 720, *730*
Fusidium Vaccinii, 649

G

Galactose, Toxicity of, for certain of the higher plants, 659
Ganoderma pseudoboletus, 710; *sessile*, 710; *subperforatum*, 711; *Tsugae*, 711
gelatinosa (Eichleriella), 748, *770*
Gerard's 'Herball,' photograph of title page of, *228*
Germ-plasm, The experimental modification of, 253
Glucose, antagonistic action of, toward toxicity of galactose, 633
gracilis (*Thelephora*), 738, *768*
Greenman, J. M. Monograph of the North and Central American species of the genus Senecio—Part II, 573
Guilandina **divergens**, 41; **melanosperma**, 41

H

Helvelloides (*Corticium*), 757
Helvelloides (Sebacina), 756, *770*
Helvelloides (*Thelephora*), 757
Hill, A. W. The history and functions of botanic gardens, 185
Hirneolina, 743
Hypochnus Solani, 445; *violaceus*, 408

I

Illuminating gas, effect of, on exosmosis, 524, 532
incarnata (Eichleriella), 743
incrustans (*Corticium*), 752
incrustans (Sebacina), 752, *770*
incrustans (*Thelephora*), 752
Irpex, *fuscoviolaceus*, 688; tulipifera, 688

J

Jacobaea vulgaris, 602

K

Karstenii (*Exobasidium*), 636, 647, 649
Kew, Royal Botanic Gardens: Herbaceous Ground, *236;* The Lake, *240;* plan of, *234;* Rhododendron Dell, *238*
King, Capt. Henry. Speech delivered at twenty-fifth anniversary banquet, 15
Kmetii (*Eichleriella*), 747
Kmetii (*Radulum*), 747
Knudson, Lewis. Toxicity of galactose for certain of the higher plants, 659

L

Lachnocladium merismatoides, 740
laciniata (*Clavaria*), 753
Laminaria Agardhii: carbohydrases of, 796; catalases of, 826; lipases of, 809; proteinases of, 817
Leveilliana (Eichleriella), 744, *770*
Leveillianum (*Corticium*), 744
Leveillianum (*Stereum*), 745
Lipases in the marine algae, 809

M

MacDougal, D. T. The experimental modification of germ-plasm, 253
macrospora (Sebacina), 759
macrosporum (*Corticium*), 759
Mallotonia gnaphalodes, 47
Merisma candidum, 733, 737; *Cladonia*, 738; *cristatum*, 752; *Schweinitzii*, 740
merismatoides (*Clavaria*), 740
merismatoides (*Lachnocladium*), 740
merismatoides (*Pterula*), 740
merismatoides (*Thelephora*), 740
merismatoides (*Tremellodendron*), 740, *768*
Merrill, M. C. Electrolytic determination of exosmosis from the roots of plants subjected to the action of various agents, 507; Some relations of plants to distilled water and certain dilute toxic solutions, 459
Mesogloea divaricata: carbohydrases of, 798; catalases of, 826; proteinases of, 815
Mona Island, The vegetation of, 33, *56*, *58*
Monocotyledony, The origin of, 175
monticola (Sebacina), 761
Moore, George T. Address at twenty-fifth anniversary banquet, 25; Address of welcome at the twenty-fifth anniversary celebration, 29
mycetophila (*Tremella*), 656
mycetophilum (*Exobasidium*), 656
Myrtilli (*Exobasidium*), 649

N

Nagel, Charles. Speech delivered at twenty-fifth anniversary banquet, 23
Norway, The flora of, and its immigration, 59
Nucleases in the marine algae, 823

O

Oaxaca, The Botanical Garden of, 165, *174*
Obaejaca viscosa, 579; *sylvatica*, 585
Overholts, L. O. Comparative studies in the Polyporaceae, 667
Oxford Botanic Garden, plan of, *232*
Oxidases in the marine algae, 825
Oxycocci (*Exobasidium*), 629, 637, 647, 649

P

Padua Botanic Garden, *224*
pallida (*Thelephora* [*Merisma*]), 734
pallidum (*Tremellodendron*), 734, 737, *768*
Parkinson's 'Paradisi in sole Paradisus Terrestris,' photograph of title page of, *230*
Peckii (*Exobasidium*), 635, 645, 649
Pedilanthus **latifolius**, 42
Phylogenetic taxonomy of flowering plants, The, 109
Phytopathology: in the tropics, 307; The relations between scientific botany and, 275
Pisa Botanic Garden, *226*
Pisum sativum: effect of galactose on, 660; use of, in distilled water experiments, 463, in exosmosis experiments, 519
plumbea (Sebacina), 765, *770*
podlachica (Sebacina), 763
Polyporaceae, Comparative studies in the, 667
Polyporus, 668; abietinus, 683, 684, 685, 686, 687, *726;* adustus, 688, 689, 690, 691, 692, 693, *726;* albellus, 696, 697, 698, 699, 700, 707, *726*, *728;* betulinus, 697, 701; Burtii, 688, 689, 690, 691, 692, 695, *726;* caesius, 696, 705, 708; chioneus, 696, 697, 698, 699, 700, 701, 706, *728; circumstans*, 715, 716; crispus, 688, 689, 690, 691, 692, 693, 694, *726;* Curtisii, 709, 710, 711, 712, 713; delectans, 696, 701, 704, 708, *728;* epileucus, 703; *fragrans*, 688, 689, 691, 692; *fraxinophilus*, 716; fumidiceps, 696, 706, 709, *726;* fumo-

sus, 688, 689, 691, 692, 695, *726;* galactinus, 696, 705, 709, *728;* Halesiae, 689; hirsutus, 688; *Holmiensis,* 693; *imberbis,* 692, 693, 695; lacteus, 696, 697, 698, 701; Lindheimeri, 689; lucidus, 709, 710, 711, 712, 713; pargamenus, 683, 684, 686, 687, *726; piceinus,*722; pseudoboletus, 710; pubescens, 688; *pseudopargamenus,* 688; *salignus,* 693, 695; spumeus, 696, 701, 702, 703, 704, 707, *728; spumosus,* 708; subcinereus, 689; **Tsugae,** 709, 711, 712, 714

Proteinases in the marine algae, 813

Protoplasm, Recent investigations on, and its colloidal properties, 241

Pterula merismatoides, 740

pteruloides (*Thelephora*), 740, 741

R

Radulum deglubens, 747; *Kmetii,* 747; *spinulosum,* 747

Rhizoctonia, 403; *Asparagi,* 408; *Betae,* 445; Crocorum, 404, 408, cross inoculation and cultural studies of, 422, distribution of, 409, host plants and general symptoms of, 411, mycelium and sclerotia of, 413, regarding the perfect stage of, 419, taxonomic and morphological accounts of, 406; *Dauci,* 408; *Medicaginis,* 408; *Napaeae,* 445; *Rapae,* 445; *Rubiae,* 408; *Solani,* 424, 445, basidiospore stage of, 443, distribution of, 429, mycelium and sclerotia of, 439, types of diseases induced by, 430; *violacea,* 408

Rhizoctonia Crocorum (Pers.) DC. and R. Solani Kühn (Corticium vagum B. & C.), with notes on other species, 403

Rhododendri (*Exobasidium*), 637, 645, 649

Rhodymenia palmata: carbohydrases of, 798; catalases of, 826; lipases of, 809

Riccia **Brittonii,** 50; **violacea,** 51

rufum (Stereum), 747

rufum (*Stereum*), 747

S

scariosa (Sebacina), 762

scariosum (*Corticium*), 762

Schrenkii (Eichleriella), 744, *770*

Schweinitzii (*Merisma*), 740

Schweinitzii (*Thelephora*), 734

Schweinitzii (*Tremellodendron*), 734

Sclerotium Crocorum, 408

sebacea (*Thelephora*), 752

sebaceum (*Corticium*), 752

Sebacina, 731, 749; **adusta,** 764, *770;* **atrata,** 765, *770;* **calcea,** 759, *770;* **chlorascens,** 756, *770;* **cinnamomea,** 763, *770;* **deglubens,** 755; **Helvelloides,** 756, *770;* incrustans, 752, *770;* **macrospora,** 759; **monticola,** 761; **plumbea,** 765, *770;* podlachica, 763; **scariosa,** 762; **Shearii,** 758, *770.*

secedens (*Corticium*), 762

Senecio, Monograph of the North and Central American species of the genus,—Part II, 573

Senecio, 575; ambrosioides, 593; *ammophilus,* 590; ampullaceus, 590, var. *floccosus,* 590, var. *glaberrimus,* 590; aphanactis, 587; Bolanderi, 617; *Bolanderi* var. *oregonensis,* 618; Burkei, *626;* californicus, 588, var. **ammophilus,** 590; *californicus,* var. *laxior,* 588; *carolinianus,* 606; chihuahuensis, 599; coahuilensis, 615, *624; coronopus,* 588; *ctenophyllus,* 600; *densiflorus,* 606; durangensis, 600, *622;* eremophilus, 597, var. **Kingii,** 598; *eremophilus,* 592, 593, 598, var. *attenuatus,* 592; erucifolius, 601; *Ervendbergii,* 611; Flettii, 619; glabellus, 605, forma **robustior,** 608; Greggii, 608; Harfordii, 618; **hypotrichus,** 612; imparipinnatus, 609; Jacobaea, 602; *Kingii,* 598; *laciniatus,* 601; leonensis, 615, *624; lobatus,* 605, 608, 609; *lyratus,* 605; MacDougalii, 592; *MacDougalii,* 594; Millefolium, 610; mohavensis, 580, *620;* montereyana, 616; *nebrodensis* var. *glabratus,* 601; *pembrinensis,* 597; pinnatisectus, 614; rupestris, 601; Sanguisorbae, 613; *Sanguisorbae,* 612; sanguisorboides, 604; saxosus, *626; Schweinitzianus,* 606; sylvaticus, 585; *sylvaticus,* 587; tampicanus, 611; *tampicanus,* 608; **Townsendii,** 598; viscosus, 579; vulgaris, 581; *Watsoni,* 598; zimapanicus, 616

serrata (*Thelephora*), 735

Setchell, W. A. The law of temperature connected with the distribution of the marine algae, 287

Shaw, Henry, biography of. See Edwards Whitaker's address at twenty-fifth anniversary banquet, 6

Shearii (Sebacina), 758, *770*

simplex (Tremellodendron), 742, *768*

Smith, E. F. A conspectus of bacterial diseases of plants, 377

Solanum tuberosum: comparison of diastatic activity of Ulva lactuca with that of, 801; catalase action in, 826

Spongipellis, 696

spinulosa (Eichleriella), 747, *770*

spinulosum (*Radulum*), 747

Stereum, *alliciens*, 746; *Leveillianum*, 731, 745; rufum, 747; *rufum*, 747
Stypella, 749
Symploci (Exobasidium), 641, 648, 655

T

Tabebuia **heterophylla**, 48; **lucida**, 48
Temperature: effect of high and low, on exosmosis, 536; The law of, connected with the distribution of the marine algae, 287
tenue (Tremellodendron), 740, *768*
Thanatophytum Crocorum, 408
Thelephora, *acerina* forma *Abietis*, 760; *calcea*, 759; *calcea c. albido-fuscescens*, 759; *candida*, 737; *Cladonia*, 738; *cristata*, 735, 752; fastidiosa, 753; *gracilis*, 738, *768; Helvelloides*, 757; *incrustans*, 752; *merismatoides*, 740; (*Merisma*) *pallida*, 734; *pteruloides*, 740, 741; *Schweinitzii*, 734; *sebacea*, 752; *serrata*, 735
Thelephoraceae of North America, The, IV, 627; V, 731
Toxic solutions: effect of, on exosmosis, 549; Some relations of plants to distilled water and certain dilute, 459, *500, 502, 504, 506*
Toxicity of galactose for certain of the higher plants, 659
Trametes Abietis 724; *piceinus*, 721, 722; *Pini*, 721, 722, var. *Abietis*, 722, 724
Tremellodendron, 731, 733; aurantium, 742; candidum, 737, *768;* **Cladonia**, 738, *768;* **merismatoides**, 740, *768;* **pallidum**, 734, *768; Schweinitzii*, 734; **simplex**, 742, *768;* **tenue**, 740, *768*
Tremella mycetophila, 656
Tuber parasiticum, 408; *Croci*, 408
Twenty-fifth anniversary celebration, The, 1; delegates and scientists attending, 1; program for, 4
Tyromyces, 696

U

Ulva lactuca: carbohydrases of, 794; catalases of, 826; comparison of the diastatic activity of, with that of leaf tissue from Solanum tuberosum, 801; lipases of, 809; proteinases of, 817

V

Vaccinii (Exobasidium), 627, 639, 642, 649, *658*
Vaccinii myrtilli (*Exobasidium*), 647, 649
Vaccinii uliginosi (Exobasidium), 640, 648, 654
Vicia, faba, use of, in distilled water experiments, 463; villosa, effect of galactose on, 660

W

Water: distilled, and certain dilute toxic solutions, Some relations of plants to, 459, *500, 502, 504, 506;* effect of sterilizing, on growth of plants, 480
Westerdijk, Johanna: Phytopathology in the tropics, 307; Speech delivered at the twenty-fifth anniversary banquet, 10
Whitaker, Edwards: Address at the twenty-fifth anniversary banquet, 6
Wille, N.: The flora of Norway and its immigration, 59; Speech delivered at the twenty-fifth anniversary banquet, 15

X

Xerocarpus farinellus, 760
Xylophylla **Epiphyllanthus**, 42